



## Sutphen Component Report Vander Molen Fire Apparatus

HS-6050 Utica, NY

Phone Number: (315) 525-0464

Mobile Number: Email: jkelly@uticafd.com Order#: SOB001328

Bill To

Customer: Utica Fire Department Contact: John Kelly, Deputy Chief

Address: 552 Bleecker Street Utica, NY 13501

Ship To

Customer: Same as Bill-to Contact: John Kelly, Deputy Chief

Address: 552 Bleecker Street Utica, NY 13501

Comments

Project Coordinator: Jacob Morgan Salesperson: Phil Vander Molen

Revision: \*\*REV-E\*\*

| Line | Item #   | Qty | Item Description/Comments                                       |
|------|----------|-----|---|
| 1    |          | 1   | APPARATUS MODEL = SPH 100.                                      |
| 2    |          | 1   | **ENG Facility = Dublin.  |
| 3    | 10000215 | 1   | STD WIRING SCHEMATIC  |
| 4    | 10010001 | 1   | CHASSIS, CUSTOM   |
| 5    |          | 1   | **ENG Wheelbase = 247".   |
| 6    |          | 1   | **ENG AF Number = 54".  |
| 7    | 25020120 | 1   | FRAME, 10" DOUBLE RAILS, DOMEX, TANDEM AXLE - AERIAL (110K PSI) |
| 8    | 45010001 | 1   | **REV-A** FRONT TOW EYES, BELOW BUMPER                          |
| 9    | 45010015 | 1   | FRONT TOW EYE FINISH, PAINTED                                   |
| 10   | 46010000 | 1   | REAR TOW EYES   |
| 11   | 40010250 | 1   | STEERING - ROSS TAS-85  |
| 12   | 22010100 | 1   | DRIVE LINE, SPICER, 1810 SERIES (TANDEM)                        |
| 13   | 54088888 | 1   | SPECIAL ITEM, DRIVE LINE DROP GUARDS                            |
| 14   | 23013420 | 1   | ENGINE, CUMMINS ISX 12 500HP DOC-DPF-DEF-SCR OBD                |

| Line | Item#    | Qty | Item Description/Comments  |
|------|----------|-----|--|
| 15   | 23030006 | 1   | AIR INTAKE/EMBER SEPARATOR   |
| 16   | 23031176 | 1   | FUEL FILTER/WATER SEPARATOR, PRIMARY, FLEETGUARD FUEL PRO FH230      |
| 17   | 23031180 | 1   | 12VDC HEATER FOR FLEETGUARD FH230 FUEL/WATER SEPARATOR               |
| 18   | 23031220 | 1   | FUEL FILTER, SECONDARY, FLEETGUARD, FF5776                           |
| 19   | 23030700 | 1   | ELECTRIC FUEL PRIMER   |
| 20   | 47088888 | 1   | **REV-A** SPECIAL ITEM, TRANSMISSION, ALLISON GEN 5, EVS4500         |
| 21   | 23110000 | 1   | JACOBS ENGINE BRAKE  |
| 22   | 47024050 | 1   | TRANSMISSION COOLER  |
| 23   | 47025000 | 1   | TRANSMISSION FLUID, CASTROL TRANSYND                                 |
| 24   | 47088888 | 1   | **REV-A** SPECIAL ITEM, ALLISON T-SHIFTER                            |
| 25   |          | 1   | **ENG Shifter Pad Gearing = 6 gears open. Generator via mode button. |
| 26   |          | 1   | **ENG Reference HS-5891 Syracuse, NY.                                |
| 27   | 21021200 | 1   | COOLING SYSTEM   |
| 28   | 21030000 | 1   | FAN CLUTCH   |
| 29   | 21030200 | 1   | RADIATOR COOLANT RECOVERY, PRESSURIZED SYST                          |
| 30   | 21030500 | 1   | LONG LIFE ANTIFREEZE, 50/50 MIX                                      |
| 31   | 26020100 | 1   | FUEL BEAM, 65 GALLON (AERIALS)                                       |
| 32   | 26030000 | 1   | FUEL FILL  |
| 33   | 26030100 | 1   | FUEL COOLER  |
| 34   | 24040000 | 1   | DIESEL EXHAUST FLUID TANK  |
| 35   |          | 1   | **ENG DEF Access = DEF Door.   |
| 36   | 24530200 | 1   | EXHAUST ADAPTER FOR PLYMOVENT GRABBER SYSTEM                         |
| 37   | 13010110 | 1   | ALTERNATORS LEECE NEVILLE 270 AMP DUAL 4949PA                        |
| 38   | 15010510 | 1   | BATTERIES, INTERSTATE TYPE 31 MHD (6)                                |

| Line | Item #   | Qty | Item Description/Comments   |
|------|----------|-----|---|
| 39   | 15031700 | 1   | BATTERY JUMPER TERMINALS  |
| 40   | 15031560 | 1   | BATTERY CHARGER, KUSSMAUL LPC 40 W/REMOTE BAR GRAPH DISPLAY                         |
| 41   | 15030430 | 1   | 120V SHORELINE INLET, KUSSMAUL SUPER 20 AUTO EJECT                                  |
| 42   |          | 1   | **ENG Shoreline Inlet Location = Driver's side of Cab, standard location.           |
| 43   |          | 1   | **ENG Shoreline Cover Color = Red.  |
| 44   | 15088888 | 1   | SPECIAL ITEM, RUN SHOREPOWER DUPLEX TO R1 COMPARTMENT                               |
| 45   |          | 1   | **ENG Nema # Requirements: 5-20 houseplug duplex w/ shorepower and transfer switch. |
| 46   |          | 1   | **ENG Duplex mounted on front side wall high.                                       |
| 47   | 14010527 | 1   | FRONT AXLE, MERITOR MFS-20-133A 23,000 LB.  |
| 48   | 41010217 | 1   | SUSPENSION FRONT 23,000 LBS. 54" LEAF   |
| 49   | 41030100 | 1   | SUSPENSION, ENHANCED SYSTEM   |
| 50   | 43010320 | 1   | FRONT TIRES GOODYEAR 425/65R22.5 LRL G296 HGW 22.5 X 12.25 WHEELS                   |
| 51   | 14520310 | 1   | REAR AXLE, MERITOR RT-50-180 52,000 LB TANDEM                                       |
| 52   |          | 1   | **REV-A**  **ENG Gearing is to be 614.  |
| 53   | 14530150 | 1   | TOP SPEED, 60 MPH   |
| 54   | 14540500 | 1   | VOGEL LUBE SYSTEM TANDEM AXLE   |
| 55   | 14540550 | 1   | FILL PUMP KIT FOR VOGEL LUBE SYSTEM   |
| 56   | 42020025 | 1   | SUSPENSION REAR RAYDAN 52,000 LBS. AIR RIDE   |
| 57   | 44020285 | 1   | TIRES, REAR, GOODYEAR 12R22.5 LRH G622 MUD & SNOW 52,000 GVWR                       |
| 58   | 42920000 | 1   | TIRE PRESSURE MONITOR, CROSSFIRE  |
| 59   | 44220210 | 1   | WHEELS, ALUM, ALCOA, DURABRITE (MAX 58K REAR)                                       |
| 60   | 44270105 | 1   | HUB COVERS, FRONT & REAR, POLISHED STS (TANDEM AXLE)                                |
| 61   | 44270305 | 1   | CHROME LUG NUT CAPS, FRONT & REAR (TANDEM AXLE)                                     |
| 62   | 44271100 | 1   | MUD FLAPS, FRONT (PAIR)   |

| Line | Item #   | Qty | Item Description/Comments   |
|------|----------|-----|---|
| 63   | 44271200 | 1   | MUD FLAPS, REAR (PAIR)  |
| 64   | 16080000 | 1   | **REV-A** BRAKES, SCAM FRONT & REAR   |
| 65   | 18030400 | 1   | FRONT WHEEL BRAKE ASSIST FOR FOUR WHEEL BRAKE SERVICE   |
| 66   | 18010046 | 1   | AIR BRAKE SYST 6 TANKS WABCO 1200 DRYER (TANDEM)  |
| 67   | 18010049 | 1   | AUTOMATIC HEATED MOISTURE EJECTORS W/MANUAL PULL CABLE (TANDEM)   |
| 68   | 18035110 | 1   | AIR COMPRESSOR, KUSSMAUL AUTO PUMP AC, 100PSI   |
| 69   | 18220500 | 1   | NO ELEC STABILITY CONTROL SYS   |
| 70   | 18110100 | 1   | WABCO 6 CHANNEL ANTI-LOCK BRAKES TANDEM   |
| 71   | 54010200 | 1   | AERIAL CHASSIS PREP (TANDEM AXLE)   |
| 72   | 54010000 | 1   | MISCELLANEOUS ITEMS ON CHASSIS  |
| 73   | 11024240 | 1   | CAB TSAL4SD 73" FLAT  |
| 74   | 11030025 | 1   | CAB CERTIFICATION - STRUCTURAL INTEGRITY  |
| 75   | 11031025 | 1   | CAB TILT SYSTEM W/AIR TURN VALVE  |
| 76   |          | 1   | **REV-A** **ENG Cab Tilt Controls =L1 compartment.  |
| 77   | 11031100 | 1   | MANUAL BACK-UP TILT SYSTEM  |
| 78   | 11088888 | 1   | **REV-A** STEP WELLS, TREADPLATE ON ALL SIDES   |
| 79   | 11031419 | 1   | CAB DOOR WINDOWS, MANUAL  |
| 80   | 11031401 | 1   | CAB SIDE WINDOWS, FIXED   |
| 81   | 11088888 | 1   | SPECIAL EXTERIOR COMPTS, SIDE OF EXT CAB, TRANSVERSE TOP, 27" DEEP COMPTS   |
| 82   |          | 1   | **REV-A**  **CLAR NOTES, EXTERIOR CAB COMPARTMENTS, TRANSVERSE  There shall be a compartment recessed in each side of the cab behind the rear doors. The driver's side compartment shall be approximately 37" high x 13" wide x 27" deep (lower section). The officer's side compartment shall be approximately 37" high x 13" wide x 27" deep (lower section). The upper section shall be transverse through the crew cab seat compartment.  The compartments shall have hinged doors that are hinged at the front. The doors shall have an Austin Hardware slam catch single-point "D"-ring door closure and held open with gas struts. Each compartment shall be illuminated with (1) LED light.  These compartments shall be sized to hold the following items:  Driver side: |

| Line | Item #   | Qty | Item Description/Comments  |
|------|----------|-----|--|
|      |          |     | -Below the floor line: Driver's air pack, in a trough mounted at approximately 30-degrees on top. 2.5 Gallon Water fire extinguisher, in a trough mounted at approximately 30-degrees  |
|      |          |     | -Above the floor line:   |
|      |          |     | (2) Aluminum tube ceiling mounted on the top of the compartment to hold a 6" steel Firehooks NY Roof Hook (1) Backboard and (1) scoop stretcher, transverse above the floor line.  |
|      |          |     | Officers side:   |
|      |          |     | -Below the floor line:<br>Rabbit Tool in carry bag   |
|      |          |     | 20# Dry Chemical Fire extinguisher, in a trough mounted at approximately 30-degrees  Above the extinguisher, the floorline shall be extended to act as a shelf, and on that will be stored a set of "Irons" a Firehooks flathead axe and Halligan tool |
|      |          |     | -Above the floor line: (1) Aluminum tube ceiling mounted on the top of the compartment to hold a 6" steel Firehooks NY Roof Hook. This is in addition to the one on the driver's side.   |
| 83   | 11031821 | 1   | **REV-B** EMS CABINET, REAR FACING, BEHIND DRIVER  |
| 84   | 11031822 | 1   | **REV-B** EMS CABINET, REAR FACING, BEHIND OFFICER   |
| 85   |          | 1   | **REV-B**  **ENG EMS cabinets are to have Black webbing with plastic clips IPOS roll up doors.   |
| 86   | 15040100 | 2   | 120V OUTLET WIRED TO SHORELINE INLET - EA  |
| 87   |          | 1   | **REV-B**  **ENG Mounted to the exterior of the EMS compartments.  |
| 88   | 52010010 | 1   | SYNCHRONIZED ELECTRIC INTERMITTENT WIPERS  |
| 89   | 27022000 | 1   | HANDRAILS, CAB, KNURLED STAINLESS STEEL  |
| 90   |          | 1   | **ENG Crew Handrails are to be shortened above Cab compartment to match height of Driver's and Officer's door handrails.   |
| 91   | 27030600 | 1   | COAT HOOKS FOR GRAB HANDRAILS (4)  |
| 92   | 27030007 | 1   | HANDRAILS, REAR CAB INTERIOR DOOR WINDOW KNURLED STS   |
| 93   | 38010020 | 1   | MIRRORS LANG MEKRA 300 SERIES HEATED & REMOTE  |
| 94   | 11024405 | 1   | RAISED GRILLE, LEVEL STYLE FACADE (ISX)  |
| 95   | 20012210 | 1   | BUMPER, 18" FORMED STEEL CHANNEL, PAINTED  |
| 96   |          | 1   | **ENG No siren speaker perforations in Bumper.   |
| 97   | 20088888 | 1   | SPECIAL ITEM, SCORPION LINE THE TOP RADIUS OF STEEL BUMPER   |
| 98   | 20040105 | 1   | **REV-A** STORAGE WELL, DEEP CENTER, FULL WIDTH (18" BUMPER)   |
| 99   | 20040300 | 1   | 1" LIP AROUND BUMPER TROUGH  |

| Line | Item #   | Qty | Item Description/Comments   |
|------|----------|-----|---|
| 100  | 20030100 | 1   | COVER FOR BUMPER TROUGH, TREADPLATE, 2" RAISE   |
| 101  |          | 1   | **REV-A**  **ENG Bumper cover is to be notched to allow hose to stay preconnected.        |
| 102  | 12010500 | 1   | AIR HORNS, DUAL, GROVER #2040 RECTANGULAR   |
| 103  |          | 1   | **ENG Air Horns Location: Outboard in Bumper.   |
| 104  | 12030205 | 1   | AIR HORNS WIRED TO STEERING WHEEL BUTTON  |
| 105  | 12040010 | 1   | MOMENTARY SWITCH ON DASH, OFFICER'S SIDE  |
| 106  | 12510110 | 1   | SIREN, WHELEN 295HFS2, REMOTE FLUSH MOUNT   |
| 107  | 12610112 | 1   | SIREN SPEAKERS, CAST PROD SA4201-6B-A (2) IN GRILLE                                       |
| 108  | 12710100 | 1   | SIREN, FEDERAL Q2B, FLUSH GRILLE MOUNT  |
| 109  |          | 1   | **REV-A**  **ENG Q2B is powered with emergency master and disabled with Parking brake.    |
| 110  | 12730350 | 1   | **REV-A** FOOT SWITCH, OFFICER'S SIDE, FOR MECH SIREN W/ ORANGE BOOT                      |
| 111  |          | 1   | **REV-A**  **ENG Foot switch mounted on left side of floor, Officer's side.               |
| 112  |          | 1   | **ENG Siren brake switch for Officer.   |
| 113  | 32520510 | 1   | HEADLIGHTS, LED, DUAL STS HOUSINGS  |
| 114  | 32530500 | 1   | ALTERNATING FLASHER FOR HEADLIGHT   |
| 115  |          | 1   | **REV-A**  **ENG Disabled with White light inhibit switch.                                |
| 116  | 48010300 | 1   | WHELEN 400 SERIES LED FRONT TURN SIGNALS (4)  |
| 117  | 11035405 | 1   | DIAMONDPLATE REAR EXTERIOR WALL OF CAB (AERIAL OR TOP MOUNT)                              |
| 118  | 11035435 | 1   | DIAMONDPLATE CAB ROOF, FULL WIDTH (AERIAL)  |
| 119  | 94288888 | 1   | **REV-B** SPECIAL ITEM, STS STOKES RACK MOUNTED ON CAB ROOF W/ JUNKIN MILITARY STS STOKES |
| 120  | 31010285 | 1   | INTERIOR, MULTISPEC BLACK SPECKLE PAINT W/GRAY-BLACK DURAWEAR                             |
| 121  | 11032929 | 1   | DOOR PANEL, FULL STS  |
| 122  | 11032958 | 1   | REFLECTIVE MATL, INTERIOR CAB DOORS, REFLEXITE  |
| 123  |          | 1   | **ENG Reflective Striping Color = #030 Red Transparent & #L2 Fluorescent Lime.            |

| Line | Item #   | Qty | Item Description/Comments  |
|------|----------|-----|--|
| 124  |          | 1   | **ENG Reflective Striping Verbiage = "STOP".   |
| 125  | 31010290 | 1   | CAB INTERIOR FLOOR COVERING, GRAY RUBBERIZED   |
| 126  | 11035375 | 1   | DIAMONDPLATE CAB FLOOR   |
| 127  | 22510102 | 1   | ENGINE ENCLOSURE, FULL SIZE, WELDED ALUM   |
| 128  | 22510530 | 1   | ENGINE ENCLOSURE COVERING, SCORPION BLACK URETHANE BLEND   |
| 129  | 11031680 | 1   | CENTER CONSOLE W/MAP BOOK STORAGE, TOP OF ENGINE ENCLOSURE   |
| 130  | 22610050 | 1   | ENGINE HOOD LIGHT, LED (1)   |
| 131  | 11031512 | 1   | **REV-A** COMPUTER TRAY IN LIEU OF GLOVE BOX   |
| 132  | 11040000 | 1   | **REV-A** CAB ACCESSORY FUSE PANEL MOUTED NEXT TO COMPUTER TRAY  |
| 133  | 30010125 | 1   | INSTRUMENTATION, BEEDE GAUGES W/ CENTER & OVERHEAD CONSOLES (AERIALS)  |
| 134  |          | 1   | **ENG Overhead Console Panel's Finish: Black Wrinkle.  |
| 135  |          | 1   | **ENG Overhead Console Position 1: Switch #1: Emergency Master. Switch #2: White light inhibit. Switch #3: Front Scene. Switch #4: Left Scene. Switch #5: Right Scene. Switch #6: Rear Scene. Switch #9: Street Horn / Air Horn. Switch #10: Master Fan. |
| 136  |          | 1   | **ENG Overhead Console Position 2: -GPS Opticom. (GTT1020 Wired to Emergency Master disabled with park brake)  |
| 137  |          | 1   | **ENG Overhead Console Position 3: -HVAC controls.   |
| 138  |          | 1   | **ENG Overhead Console Position 4: -Chassis indicatorsSeat belt monitor.   |
| 139  |          | 1   | **ENG Overhead Console Position 5: -Blank.   |
| 140  |          | 1   | **ENG Overhead Console Position 6: -AM/FM Radio.   |
| 141  |          | 1   | **ENG Overhead Console Position 7: Switch #1: Front Scene. Switch #2: Left Scene. Switch #3: Right Scene. Switch #4: Rear Scene.   |
| 142  |          | 1   | **ENG Lower Command Console Finish: Black Urethane.  |
| 143  |          | 1   | **ENG Lower Console Panel's Finish: Black Wrinkle.   |

| Line | Item #   | Qty | Item Description/Comments   |
|------|----------|-----|---|
| 144  |          | 1   | **ENG Lower Console Position 1: -Transmission "T" handle ShifterPump shift.   |
| 145  |          | 1   | **ENG Lower Console Position 2: Switch #1: Jake On/Off. Switch #2: Jake Low/Med/High. Switch #3: High Idle. Switch #4: Alt Headlights. Switch #5-6: Blank Switch #7: PTO Lad/Jack. (Yellow lined switch)  |
| 146  |          | 1   | **ENG Lower Console Position 3: -Parking BrakeWhelen Siren Head (mounted as low as possible)12V PowerPoints (called out below).   |
| 147  |          | 1   | **ENG Lower Console Position 4: -Blank.   |
| 148  |          | 1   | **ENG Lower Console Position 5: Switch #1: Emergency Master. Switch #2: Air Horns. Switch #3: Q2B Brake.  |
| 149  | 30080100 | 1   | **REV-A** HD STEREO, JENSEN, AM/FM/WB   |
| 150  | 30010700 | 1   | CAB PUMP SHIFT  |
| 151  | 29910000 | 1   | LOAD MANAGER, CLASS-1 SUPERNODE II  |
| 152  | 30031100 | 1   | HIGH IDLE SWITCH  |
| 153  | 30031776 | 1   | 12V POWER POINTS (3)  |
| 154  |          | 1   | **ENG Power Point Location #1: Lower console Position 3, Driver's corner.   |
| 155  |          | 1   | **ENG Power Point Location #2: Lower console Position 3, Officer's corner.  |
| 156  |          | 1   | **ENG Power Point Location #3: Engine Hood on top of AC mounting plate.   |
| 157  | 11040000 | 1   | CAB ACCESSORY FUSE PANEL  |
| 158  | 84541540 | 1   | POWER & GROUND STUDS, UPPER COMMAND CONSOLE   |
| 159  |          | 1   | **ENG Requirements (AMPS) for Power/Ground Studs in Upper Command Console: (1) 12-volt 60-amp, direct to the battery. (1) 12-volt 30-amp controlled by the ignition switch. (1) 12-volt 125-amp ground.   |
| 160  | 84541550 | 1   | POWER & GROUND STUDS, UNDER OFFICER'S SEAT  |
| 161  |          | 1   | **ENG Requirements (AMPS) for Power/Ground Studs Under Officers Seat: (1) 12-volt 40-amp controlled by the battery switch. (1) 12-volt 60-amp controlled by the ignition switch. (1) 12-volt 60-amp, direct to the battery. (1) 12-volt 100-amp ground. |
| 162  | 11040100 | 1   | ADD'L FUSE BLOCK IN CAB FOR FUTURE ELECTRICAL INSTALLATION  |

| Line | Item#    | Qty | Item Description/Comments                             |
|------|----------|-----|---|
| 163  | 30110000 | 1   | VEHICLE DATA RECORDER, AKRON/WELDON                   |
| 164  | 33510030 | 1   | INTERIOR CAB LIGHTS, RED/CLEAR LED (2)                |
| 165  | 34010035 | 1   | **REV-A** INTERIOR CREW LIGHTS, RED/CLEAR LED (3)     |
| 166  | 28010740 | 1   | DEFROSTER, HEATER & A/C (COMPACT)                     |
| 167  | 28090003 | 1   | HEAT TO FEET  |
| 168  | 28030500 | 1   | DEFROSTER DUCTWORK, ENTIRE WINDSHIELD                 |
| 169  | 11031687 | 1   | TOOL MOUNTING PLATE, 25" x 19.5", TOP OF HEAT/AC UNIT |
| 170  | 28030000 | 1   | METAL VENT COVERS FOR DEFROSTER/AC                    |
| 171  | 28031000 | 1   | FAN, 12 VOLT, DRIVER'S SIDE                           |
| 172  | 28031100 | 1   | FAN, 12 VOLT, OFFICER'S SIDE                          |
| 173  | 28088888 | 1   | SPECIAL ITEM, MASTER FAN SWITCH                       |
| 174  |          | 1   | **ENG Overhead Console Position 1.                    |
| 175  | 38510400 | 1   | **REV-A** DRIVER'S SEAT, USSC VALOR, AIR RIDE, ABTS   |
| 176  | 38320000 | 1   | HELMET STORED IN COMPARTMENT                          |
| 177  | 39010400 | 1   | **REV-A** OFFICER'S SEAT, USSC VALOR, ABTS SCBA       |
| 178  | 39030010 | 1   | OFFICER'S SEAT COMPT, OPEN FRONT                      |
| 179  | 38320000 | 1   | HELMET STORED IN COMPARTMENT                          |
| 180  | 39521310 | 1   | **REV-B** CREW SEAT 3, USSC VALOR, ABTS SCBA          |
| 181  | 38320000 | 1   | HELMET STORED IN COMPARTMENT                          |
| 182  | 39521311 | 1   | **REV-B** CREW SEAT 4, USSC VALOR, ABTS SCBA          |
| 183  | 38320000 | 1   | HELMET STORED IN COMPARTMENT                          |
| 184  | 39550200 | 1   | SEAT COLOR, BLACK                                     |
| 185  | 39610115 | 3   | SCBA BRACKETS, IMMI SMART DOCK (3)                    |
| 186  | 38410000 | 1   | SEAT BELT WARNING SYSTEM, AKRON / WELDON              |

| Line | Item#    | Qty | Item Description/Comments   |
|------|----------|-----|---|
| 187  | 39788888 | 1   | **REV-A** SPECIAL ITEM, CREW SEAT COMPT, STS SCREW-ON PANEL (73" CAB) |
| 188  | 84541700 | 2   | INSTALLATION OF CUSTOMERS 2-WAY RADIO ANTENNA (2)                     |
| 189  |          | 1   | **ENG Antenna Termination Location #1: Upper Command Console.         |
| 190  |          | 1   | **ENG Antenna Termination Location #2: Upper Command Console.         |
| 191  | 84560600 | 1   | CAMERA SYSTEM, INTEC, SINGLE CAMERA                                   |
| 192  |          | 1   | **ENG Camera Mounting Location #1: Rear of Body.                      |
| 193  |          | 1   | **ENG Camera Monitor Mounting Location: Below HVAC controls.          |
| 194  | 60020200 | 1   | **REV-A** WATEROUS PUMP CSU-1500 GPM SINGLE STAGE                     |
| 195  | 60025310 | 1   | GEARBOX, WATEROUS, FRONT MOUNTED                                      |
| 196  | 60026010 | 1   | **REV-A** PUMP PACKING, WATEROUS                                      |
| 197  | 60031001 | 1   | ZINC ANODES, WATEROUS   |
| 198  | 60035121 | 1   | PUMP TEST, MISTRAS GROUP, INC   |
| 199  | 61510000 | 1   | AUXILIARY COOLER (HEAT EXCHANGER)                                     |
| 200  | 62010002 | 1   | STAINLESS STEEL PIPING  |
| 201  | 66020100 | 1   | 3" TANK TO PUMP W/CHECK VALVE   |
| 202  | 61720100 | 1   | VALVE, AKRON HEAVY DUTY   |
| 203  | 61770120 | 1   | ACTUATOR, VALVE, PUSH/PULL HANDLE, INNOVATIVE CONTROLS                |
| 204  |          | 1   | **CLAR NOTES, Rack and sector is preferred.                           |
| 205  | 73010100 | 1   | TANK FILL 1.5"  |
| 206  | 61720100 | 1   | VALVE, AKRON HEAVY DUTY   |
| 207  | 61770120 | 1   | ACTUATOR, VALVE, PUSH/PULL HANDLE, INNOVATIVE CONTROLS                |
| 208  | 61028888 | 1   | SPECIAL ITEM, PRESSURE CONTROL CLASS ONE TWISTER                      |
| 209  | 61031000 | 1   | ENGINE STATUS CENTER, CLASS 1 ENFO IV                                 |
| 210  | 61210200 | 1   | INTAKE PRESSURE CONTROL, WATEROUS                                     |

| Line | Item #   | Qty | Item Description/Comments   |
|------|----------|-----|---|
| 211  | 61088888 | 1   | SPECIAL ITEM, PRESSURE CONTROL WATEROUS MANUAL RELIEF VALVE   |
| 212  |          | 1   | **CLAR NOTES, Pressure control Waterous manual relief valve. The Waterous Manual Discharge Pressure Relief control valve shall be provided. |
| 213  | 63021100 | 1   | 6" MAIN SUCTION, LEFT SIDE  |
| 214  | 63030600 | 1   | WATEROUS MONARCH INTAKE VALVE, ELEC   |
| 215  | 63034650 | 1   | ADAPTER, 6" NST FE X 5" STORZ, 30 DEGREE W/CAP & CHAIN, TFT   |
| 216  | 65030000 | 1   | 2.5" LEFT SIDE INLET  |
| 217  | 61770100 | 1   | ACTUATOR, VALVE, SWING HANDLE   |
| 218  | 60036010 | 1   | THREADS, NST  |
| 219  | 63034750 | 1   | ADAPTER, 2.5" M [NST] X 2.5" F [UTICA 3.157" x 8 TPI] SWIVEL, W/PLUG & CHAIN  |
| 220  | 63025100 | 1   | 6" MAIN SUCTION, RIGHT SIDE   |
| 221  | 63030600 | 1   | WATEROUS MONARCH INTAKE VALVE, ELEC   |
| 222  | 63034650 | 1   | ADAPTER, 6" NST FE X 5" STORZ, 30 DEGREE W/CAP & CHAIN, TFT   |
| 223  | 64030000 | 1   | 2.5" RIGHT SIDE INLET   |
| 224  | 61720100 | 1   | VALVE, AKRON HEAVY DUTY   |
| 225  | 61770100 | 1   | ACTUATOR, VALVE, SWING HANDLE   |
| 226  | 60036010 | 1   | THREADS, NST  |
| 227  | 63034750 | 1   | ADAPTER, 2.5" M [NST] X 2.5" F [UTICA 3.157" x 8 TPI] SWIVEL, W/PLUG & CHAIN  |
| 228  | 70525125 | 1   | 2.5" DISCHARGE, LEFT - POSITION 1   |
| 229  | 61720100 | 1   | VALVE, AKRON HEAVY DUTY   |
| 230  | 61770110 | 1   | ACTUATOR, VALVE, PUSH/PULL W/RACK& SECTOR   |
| 231  | 77021010 | 1   | GAUGE, DISCH, INNOVATIVE CONTROLS 2.5"  |
| 232  | 60036010 | 1   | THREADS, NST  |
| 233  | 61850100 | 1   | ADAPTER, 2.5" F [NST] X 2.5" M [UTICA 3.157" x 8 TPI] SWIVEL, W/CAP & CHAIN   |
| 234  | 61860100 | 1   | ADAPTER, 2.5" F [UTICA 3.157" x 8 TPI] X 1.5" M NST W/CAP & CHAIN   |

| Line | Item #   | Qty | Item Description/Comments   |
|------|----------|-----|---|
| 235  | 70525125 | 1   | 2.5" DISCHARGE, LEFT - POSITION 2   |
| 236  | 61720100 | 1   | VALVE, AKRON HEAVY DUTY   |
| 237  | 61770110 | 1   | ACTUATOR, VALVE, PUSH/PULL W/RACK& SECTOR                                   |
| 238  | 77021010 | 1   | GAUGE, DISCH, INNOVATIVE CONTROLS 2.5"                                      |
| 239  | 60036010 | 1   | THREADS, NST  |
| 240  | 61850100 | 1   | ADAPTER, 2.5" F [NST] X 2.5" M [UTICA 3.157" x 8 TPI] SWIVEL, W/CAP & CHAIN |
| 241  | 61860100 | 1   | ADAPTER, 2.5" F [UTICA 3.157" x 8 TPI] X 1.5" M NST W/CAP & CHAIN           |
| 242  | 71025130 | 1   | 3" DISCHARGE, RIGHT - POSITION 3  |
| 243  | 61720100 | 1   | VALVE, AKRON HEAVY DUTY   |
| 244  | 61788888 | 1   | **REV-A** ACTUATOR, VALVE, TRIDENT HANDWHEEL                                |
| 245  | 77021010 | 1   | GAUGE, DISCH, INNOVATIVE CONTROLS 2.5"                                      |
| 246  | 60036010 | 1   | THREADS, NST  |
| 247  | 61840260 | 1   | ADAPTER, 3" NST FE X 5" STORZ W/CAP & CHAIN, TFT                            |
| 248  | 71025125 | 1   | 2.5" DISCHARGE, RIGHT - POSITION 4  |
| 249  | 61720100 | 1   | VALVE, AKRON HEAVY DUTY   |
| 250  | 61788888 | 1   | ACTUATOR, VALVE, PUSH/PULL HANDLE, RACK AND SECTOR                          |
| 251  | 77021010 | 1   | GAUGE, DISCH, INNOVATIVE CONTROLS 2.5"                                      |
| 252  | 60036010 | 1   | THREADS, NST  |
| 253  | 61850100 | 1   | ADAPTER, 2.5" F [NST] X 2.5" M [UTICA 3.157" x 8 TPI] SWIVEL, W/CAP & CHAIN |
| 254  | 61860100 | 1   | ADAPTER, 2.5" F [UTICA 3.157" x 8 TPI] X 1.5" M NST W/CAP & CHAIN           |
| 255  | 72230000 | 1   | DISCHARGE 1.5" FRONT BUMPER, 2" PLUMBING                                    |
| 256  | 61720100 | 1   | VALVE, AKRON HEAVY DUTY   |
| 257  | 61770120 | 1   | **REV-A** ACTUATOR, VALVE, PUSH/PULL HANDLE, INNOVATIVE CONTROLS            |
| 258  | 77021010 | 1   | GAUGE, DISCH, INNOVATIVE CONTROLS 2.5"                                      |

| Line | Item #   | Qty | Item Description/Comments   |
|------|----------|-----|---|
| 259  | 60036010 | 1   | THREADS, NST  |
| 260  |          | 1   | **ENG Front Bumper Swivel Location/Side = Driver's side.                    |
| 261  |          | 1   | **ENG Front Discharge Swivel Location/Trough = Top of Bumper.               |
| 262  | 72888888 | 1   | SPECIAL ITEM, ONE 2.5" CROSSLAY, 2.5" SWIVEL                                |
| 263  | 61720100 | 1   | VALVE, AKRON HEAVY DUTY (1)   |
| 264  | 61770120 | 1   | **REV-A** ACTUATOR, VALVE, PUSH/PULL HANDLE, INNOVATIVE CONTROLS (1)        |
| 265  | 77021010 | 1   | GAUGE, DISCH, INNOVATIVE CONTROLS 2.5" (1)                                  |
| 266  | 60036020 | 1   | THREADS, NST (1)  |
| 267  | 61850100 | 1   | ADAPTER, 2.5" F [NST] X 2.5" M [UTICA 3.157" x 8 TPI] SWIVEL, W/CAP & CHAIN |
| 268  | 61860100 | 1   | ADAPTER, 2.5" F [UTICA 3.157" x 8 TPI] X 1.5" M NST W/CAP & CHAIN           |
| 269  | 72910520 | 1   | COVER, VINYL FOR CROSSLAYS (SPH)  |
| 270  |          | 1   | **ENG Crosslay/Speedlay Cover Color = Red.                                  |
| 271  |          | 1   | **ENG Crosslay/Speedlay Cover Fastener = Bungee with tabs.                  |
| 272  | 61742000 | 1   | MASTER PUMP DRAIN, MULTIPORT  |
| 273  | 61730005 | 10  | DRAIN VALVES, INNOVATIVE CONTROLS, LIFT-UP (10)                             |
| 274  | 78521440 | 1   | WATERWAY CONTROL, 4" VALVE, AKRON 9325 ELECTRIC ACTUATOR                    |
| 275  | 61910100 | 1   | WATERWAY DRAIN VALVE, AKRON 1.5" PUSH/PULL CONTROL                          |
| 276  | 74920210 | 1   | SPH1 - SIDE MOUNT PUMP PANEL  |
| 277  | 74930500 | 1   | **REV-A** PANEL FINISH, BLACK VINYL   |
| 278  | 74931000 | 1   | ESCUTCHEON PLATES   |
| 279  | 74931050 | 1   | COLOR CODING  |
| 280  |          | 1   | **ENG Color Coding Standard = Yes.  |
| 281  | 74931110 | 1   | PUMP FINISH, PAINTED FRAME COLOR  |
| 282  | 75510210 | 1   | PUMP PANEL LIGHTS, LED STRIPS   |

| Line | Item #   | Qty | Item Description/Comments  |
|------|----------|-----|--|
| 283  |          | 1   | **ENG Pump Panel light strips are to be Whelen LED strips.   |
| 284  | 75530100 | 1   | LIGHT ON OPPOSITE SIDE PUMP PANEL, LED STRIPS  |
| 285  | 75588888 | 1   | SPECIAL ITEM, MC PRODUCTS GAUGE HEATER WITH HEAT TAPES FOR UP TO TWELVE (12) GAUGES.   |
| 286  | 75588888 | 1   | SPECIAL ITEM, 12V PUMP COMPARTMENT HEATER/FAN WITH SWITCH ON PUMP PANEL.   |
| 287  |          | 1   | **REV-A**  **ENG Thermostat is to be mounted as low as possible (Away from pump heater).   |
| 288  | 76010105 | 1   | PUMP PANEL GAUGES & CONTROLS   |
| 289  | 60028050 | 1   | PUMP PRIMER, TRIDENT, AIR  |
| 290  | 60028310 | 1   | (1) PRIMER BUTTON - MAIN SUCTION   |
| 291  | 76030888 | 1   | SPECIAL PUMP OVERHEAT INDICATOR WATEROUS OVERHEAT PROTECTION MANAGER   |
| 292  |          | 1   | **REV-A**  **ENG Mount to discharge sound near drivers Pump Panel.   |
| 293  |          | 1   | **CLAR NOTES, The Waterous Overheat Protection Manager shall be provided and installed to help prevent overheating of the pump.  This shall include:  -Thermal Relief Valve:  Opens and releases water from the pump when the water temperature reaches 140°F (60°C).  -Thermal Switch:  Activates a flashing red light on the control panel when the water temperature reaches 180°F (82°C).  This is an additional safety function to alert the operator that the water temperature is continuing to rise.  -Optional Audible Alarm:  Will sound in conjunction with the flashing red light and provide an additional warning that the water temperature is rising.  -Control Panel:  Contains the red flashing light as well as a test circuit for the light. |
| 294  | 76031900 | 1   | AIR HORN PUSH BUTTON SWITCH ON PUMP PANEL  |
| 295  |          | 1   | **ENG Air Horn Push Button Location = Readily visible location for Pump operator.  |
| 296  | 76510060 | 1   | GAUGES, MASTER, INNOVATIVE CONTROLS, 4"  |
| 297  | 77510060 | 1   | GAUGE, WATER LEVEL, FIRE RESEARCH, TANKVISION  |
| 298  | 83525200 | 1   | WATER TANK BRAND, UPF  |
| 299  | 83520205 | 1   | WATER TANK, 300 GAL, POLY (AERIALS)  |
| 300  | 80188888 | 1   | SPECIAL BODY, WIDER L1 IN PLACE OF DELETED CROSSLAYS   |
| 301  | 80029930 | 1   | STAINLESS STEEL SUBFRAME/UNDERCARRIAGE, SPH100   |
| 302  | 80250100 | 1   | TURTLE TILE ON COMPT FLOOR, SHELF, TRAY OR DRAWER [L1] (1)   |

| Line | Item#    | Qty | Item Description/Comments   |
|------|----------|-----|---|
| 303  | 80280434 | 1   | PAC TRAC, REAR WALL, 58"W X 25"H [L2]   |
| 304  | 80250100 | 1   | TURTLE TILE ON COMPT FLOOR, SHELF, TRAY OR DRAWER [L2] (1)  |
| 305  | 80280434 | 1   | PAC TRAC, REAR WALL, 58"W X 25"H [L3]   |
| 306  | 80250100 | 1   | TURTLE TILE ON COMPT FLOOR, SHELF, TRAY OR DRAWER [L3] (1)  |
| 307  | 81130200 | 2   | ADJUSTABLE SHELF [L4] (2)   |
| 308  | 81140100 | 1   | FIXED VERTICAL DIVIDER [L4] (1)   |
| 309  | 80250100 | 3   | TURTLE TILE ON COMPT FLOOR, SHELF, TRAY OR DRAWER [L4] (3)  |
| 310  | 81130200 | 1   | ADJUSTABLE SHELF [L5] (1)   |
| 311  |          | 1   | **CLAR NOTES, This shall house the generator breaker panel in the upper rear part of the compartment and a -Hannay Cord reel on the floor of the compartment(2) portable FRC Spectra LED scene lightsAkron Junction box, on the compartment shelfReference HS-5665 Schenectady, NY. |
| 312  | 80250100 | 2   | TURTLE TILE ON COMPT FLOOR, SHELF, TRAY OR DRAWER [L5] (2)  |
| 313  | 81130200 | 1   | ADJUSTABLE SHELF [L6] (1)   |
| 314  | 81140100 | 1   | FIXED VERTICAL DIVIDER [L6] (1)   |
| 315  |          | 1   | **CLAR NOTES, This divider shall be installed 12" from right side door opening.   |
| 316  | 80250100 | 2   | TURTLE TILE ON COMPT FLOOR, SHELF, TRAY OR DRAWER [L6] (2)  |
| 317  | 81130200 | 1   | ADJUSTABLE SHELF [R1] (1)   |
| 318  | 81150300 | 1   | 600# SLIDE-MASTER TRAY [R1] (1)   |
| 319  |          | 1   | **REV-A**  **ENG Slide Master is to be able to have 100% extension with 4" lip around entire drawer.  |
| 320  | 80250100 | 2   | TURTLE TILE ON COMPT FLOOR, SHELF, TRAY OR DRAWER [R1] (2)  |
| 321  | 81130200 | 1   | ADJUSTABLE SHELF [R4] (1)   |
| 322  | 80250100 | 2   | TURTLE TILE ON COMPT FLOOR, SHELF, TRAY OR DRAWER [R4] (2)  |
| 323  | 81130200 | 1   | ADJUSTABLE SHELF [R5] (1)   |
| 324  | 80250100 | 2   | TURTLE TILE ON COMPT FLOOR, SHELF, TRAY OR DRAWER [R5] (2)  |
| 325  | 81130200 | 1   | ADJUSTABLE SHELF [R6] (1)   |

| Line | Item #   | Qty | Item Description/Comments  |
|------|----------|-----|--|
| 326  | 80250100 | 2   | TURTLE TILE ON COMPT FLOOR, SHELF, TRAY OR DRAWER [R6] (2)   |
| 327  | 81188888 | 1   | SLIDE-OUT TRAY FOR SPH-100 A1 COMPT [A1] (1)   |
| 328  |          | 1   | **CLAR NOTES, SLIDE TRAY  There shall be a Sliding pullout drawer provided and installed in the rear compartment. The drawer shall have a distributed load capacity of 1,000 lbs. and be capable of extending 100% of its depth.  The tray shall be fabricated of .188" aluminum plate and measure approximately 68" deep x 20" wide with 9" sides and a 4" front lip. It shall slide on UHMW (Poly) slides.  This drawer shall house: |
| 329  | 80250100 | 1   | Shovels, brooms, arson hooks, squeeges, etc.  TURTLE TILE ON COMPT FLOOR, SHELF, TRAY OR DRAWER [A1] (1)   |
| 329  | 80230100 | 1   | TORTLE TILE ON COMPT FLOOR, SHELF, TRAY OR DRAWER [A1] (1)   |
| 330  |          | 1   | **ENG Turtle Tile Color = Red.   |
| 331  | 81165705 | 1   | UNISTRUT TRACK IN COMPTS   |
| 332  | 80220220 | 1   | COMPT DOORS, HINGED (ALUM)   |
| 333  |          | 1   | **REV-A**  **ENG L2 and L3 compartment doors need to hinge to the sides not hinged at the top.   |
| 334  | 84530910 | 1   | COMPT LIGHTING, LED LIGHT STRIPS, 2 PER COMPT  |
| 335  | 80288888 | 1   | SPECIAL ITEM, ALL STAINLESS STEEL DOORS, DUAL STRIKERS   |
| 336  |          | 1   | **CLAR NOTES, All body doors are stainless steel overlap doors with double strikers. (Reference Malta Ridge HS-5195)   |
| 337  | 80288888 | 6   | SPECIAL ITEM, ADDITIONAL DOOR STRIKERS SHIPPED LOOSE   |
| 338  | 80288888 | 1   | SPECIAL ITEM, UPGRADE TO CPI STAINLESS STEEL SWITCHES  |
| 339  |          | 1   | **CLAR NOTES, All compartment door and light switches shall be stainless steel, CPI brand switches that are fully sealed and weather protected.  |
| 340  | 81320205 | 1   | SPH 100 HOSEBED, ALUM FLOORING   |
| 341  |          | 1   | **ENG List the Hose Bed Hose Load Req. = As much 5" as possible.   |
| 342  | 81488888 | 1   | **REV-A** SPECIAL ITEM, COVER, VINYL, MAIN HOSE BED D&S COVERS   |
| 343  |          | 1   | **ENG Hosebed Cover Color = Red.   |
| 344  |          | 1   | **ENG Hosebed Cover Fastener = Bungee with tabs.   |
| 345  | 81910500 | 1   | HANDRAILS, KNURLED STS, SPH100   |
| 346  | 82013500 | 1   | STEPS, SPH100  |
| 347  | 82510000 | 1   | RUB RAILS, ANODIZED ALUM   |

| Line | Item #   | Qty | Item Description/Comments   |
|------|----------|-----|---|
| 348  | 83010100 | 1   | ALUMINUM TREADPLATE (AERIALS)   |
| 349  |          | 1   | **REV-A** **ENG Treadplate is not to go on any vertical panels.   |
| 350  | 80290101 | 1   | FIBERGLASS WHEEL WELL LINERS (SL100, SPH)   |
| 351  | 82031100 | 1   | **REV-A** SLIDE-OUT STEP W/GRIP STRUT INSERT UNDER SIDE COMPT - EA  |
| 352  |          |     | **REV-A** **ENG Mounted below R4 compartment.   |
| 353  | 80231260 | 1   | 7 SCBA CYLINDER COMPTS (TANDEM BODY)  |
| 354  | 89028888 | 1   | SPECIAL LADDER PACKAGE DUO SAFETY ISO +   |
| 355  |          | 1   | **REV-A**  **ENG Ladders on Officer's side Body compartments will be secured with 2 separate locking handles.  (1) Smaller handle for the top ladder and (1) Larger handle to secure the bottom ladders. (So the 16' ladder can be deployed by itself)  |
| 356  |          | 1   | **CLAR NOTES, (1) 16' ROOF (1) 20' ROOF (1) 24' 2-SECT. (1) 35' 2-SECT.   |
| 357  | 89030600 | 1   | LITTLE GIANT 13' LADDER (1)   |
| 358  |          | 1   | **ENG Stored in L4 compartment. On Right side of compartment.   |
| 359  | 89030900 | 1   | ALCO-LITE 12 FT FOLDING LADDER AEL-12' (1)  |
| 360  |          | 1   | **REV-A** **ENG Stored on Aerial ladder storage.  |
| 361  | 89530900 | 2   | MOUNTING OF EXTRA LADDER (EACH) (2)   |
| 362  |          | 1   | **ENG State Mounting of Extra Ladders Location and Details = 20' on boom.   |
| 363  | 89088888 | 1   | SPECIAL ITEM, 20' ROOF LADDER ON BOOM   |
| 364  | 89512200 | 1   | LADDERS ENCLOSED IN HOSEBED ON BEAM (SPH)   |
| 365  |          | 1   | **REV-B**  **CLAR NOTES, (1) 10 ft. folding ladder, (mounted in fly section) (1) 12 ft. folding in body (1) 20 ft. roof on boom, driver side. (1) 16 ft. roof ladder in Body (narrow width) (1) 20 ft. roof ladders outside on right body. with 16' narrow width, nested (1) 24 ft. 2 fly above roof ladders outside on right body (2) 28 ft. 2-section extension ladderin body, (2) 35 ft. 2-section extension ladders, one in body, one outside below roof ladders ladder.  NO 14' COMBINATION LADDER |
| 366  | 84550199 | 1   | LICENSE PLATE BRACKET - NOT PROVIDED  |

| Line | Item#    | Qty | Item Description/Comments   |
|------|----------|-----|---|
| 367  | 84510100 | 1   | ELECTRICAL DESCRIPTION  |
| 368  | 84520000 | 1   | BACK UP ALARM, ECCO SA917   |
| 369  | 85010302 | 1   | **REV-A** TAIL/TURN/BACKUP, WHELEN 600, LED, QUAD   |
| 370  | 85110100 | 1   | ICC LIGHTS, LED   |
| 371  | 85130100 | 1   | MARKER LIGHTS, BRITAX, FLEXIBLE, LED (PAIR)   |
| 372  | 85588888 | 1   | SPECIAL ITEM, WHELEN STRIP STEP LIGHTS, LED, WHELEN 2G  |
| 373  | 85710020 | 1   | UNDERCARRIAGE GROUND LIGHTS, LED  |
| 374  | 86520200 | 1   | REAR WORK LIGHTS, (2) RIGID D2 DIFFUSION FLOOD, LED   |
| 375  | 87020325 | 1   | WARNING LIGHTS, UPPER, WHELEN, LED FREEDOM 12-IV  |
| 376  |          | 1   | **ENG Lightbar Details = 72" Lightbar, (10) Red and (2) White modules W/ Clear lens.  |
| 370  |          | -   | -(2) Whelen MCFLED Red LED beacons w/Clear lenses.  |
| 377  | 87588888 | 1   | SPECIAL ITEM, OPTICOM IS GPS VERSION TO BE INSTALLED (GTT1020) - NOT LIGHTBAR VERSION   |
| 378  |          | 1   | **CLAR NOTES, OPTICOM  An Opticom traffic signal control unit shall be provided. It shall be the GPS version.  It is not installed in the lightbar.   |
| 379  |          | 1   | **REV-A**  **ENG Opticom GTT1020 wired to Emergency Master disabled with park brake   |
| 380  | 87520371 | 1   | WARNING LIGHTS, LOWER, WHELEN 600 SUPER LED   |
| 381  |          | 1   | **ENG Warning Light Color = Red.  |
| 382  |          | 1   | **ENG Warning Light Lens Color = Red.   |
| 383  |          | 1   | **ENG Warning Light Locations =  (15) Red 600's with Red lenses:  -(2) On front face of each cab warning light housing.  -(1) On side of each headlight housing.  -(1) Each side of body in outrigger area below turntable.  -(1) Each side of body on rear jack panels.  -(1) Each side of body below L6/R6.  -(1) Each side of body in bottom of taillight housings.  -(1) On rear face of platform (wire to emergency lights and NOT upper power). |
| 384  | 87537731 | 1   | WARNING LIGHTS, WHELEN 600, SUPER LED (PAIR) (1)  |
| 385  |          | 1   | **ENG Warning Light Color = Red.  |
| 386  |          | 1   | **ENG Warning Light Lens Color = Red.   |
| 387  |          | 1   | **ENG Warning Light Mounting Location = Front Bumper skirts.  |

| Line | Item #   | Qty | Item Description/Comments  |
|------|----------|-----|--|
| 388  | 88390902 | 1   | LIGHT, FR SPECTRA, LED, BROW 20K LUMENS, 12V (1)   |
| 389  |          | 1   | **CLAR NOTES, Black Housing and Bracket.   |
| 390  |          | 1   | **ENG Switched in Cab, Overhead Console Position 1 and Overhead Console Position 7, "Front Scene".   |
| 391  | 88390902 | 2   | LIGHT, FR SPECTRA, LED, BROW 20K LUMENS, 12V (2)   |
| 392  |          | 1   | **CLAR NOTES, Black Housing and Bracket.   |
| 393  |          | 1   | **CLAR NOTES, -Located above fixed window on Driver and Officer's side Cab roofUse flat brow mount from FRCReference HS-5665 Schenectady, NYSwitched in Cab, Overhead Console Position 1 and Overhead Console Position 7, "Left Scene", "Right Scene". |
| 394  | 86537815 | 2   | SCENE LIGHTS, WHELEN M6 LED, SURFACE MOUNT (PAIR) (2)  |
| 395  |          | 1   | **ENG Light Mounting Location & Switching = -One Pair shall be on the rear of the Cab wired to upper powerThe second pair shall be in the platform as floor lights wired to upper power.   |
| 396  | 86537816 | 1   | SCENE LIGHTS, WHELEN M9 LED, SURFACE MOUNT (PAIR) (1)  |
| 397  |          | 1   | **ENG Light Mounting Location & Switching = Rear of Body, see drawing. Wired to switch and with reverse.   |
| 398  | 86588888 | 1   | SPECIAL ITEM, SCENE LIGHTS, WHELEN M9 LED, SURFACE MOUNT (1)   |
| 399  |          | 1   | **REV-A**  **ENG Mounted under the Aerial platform. Switched in platform.  |
| 400  | 88230611 | 1   | GENERATOR, HARRISON, 10KW HYD AERIALS  |
| 401  |          | 1   | **ENG switched on Mode Button in the Cab.  |
| 402  | 88250420 | 1   | CIRCUIT BREAKER PANEL WITH 16 SPACES FOR BREAKERS  |
| 403  | 88251200 | 1   | BREAKER PANEL, SPECIAL LOCATION  |
| 404  |          | 1   | **REV-A**  **ENG Body lights are to have #8 wiring with 40 AMP breakers  |
| 405  |          | 1   | **ENG Breaker Box Mounting Location = L5 compartment.  |
| 406  | 88250100 | 3   | 120 VOLT OUTLET W/WEATHERPROOF COVER - EACH (3)  |
| 407  |          | 1   | **ENG Nema Number = 5-20 House Plug.   |
| 408  |          | 1   | **ENG Outlet Locations = 1 in R1 and 2 in EMS.   |
| 409  | 88232025 | 1   | AUTOMATIC TRANSFER SWITCH, PROGRESSIVE DYNAMICS, PD5100  |
| 410  |          | 1   | **ENG Transfer Switch Outlets = Shorepower duplex in R1 compartment. Additional outlets in EMS compartment.  |

| Line | Item #   | Qty | Item Description/Comments  |
|------|----------|-----|--|
| 411  |          | 1   | **CLAR NOTES, The Generator shall be mounted on top of the body over L4. L4 shall have additional stainless steel structural supports to transfer the impact load of the generator to the body subframe. UPSIZE HYDRAULIC HOSE 1/2" more than usual for the extended hose run. |
| 412  | 88431200 | 2   | HANNAY ECR-1616-17-18 REEL W/200' 10/3 (2)   |
| 413  |          | 1   | **REV-A**  **ENG 150' are to be put on the Reel and extra will be shipped loose.   |
| 414  |          | 1   | **ENG Reel Mounting Location #1 = L5.  |
| 415  |          | 1   | **ENG Reel Motor Location #1 = Left Rear.  |
| 416  |          | 1   | **ENG Reel Mounting Location #2 = Under right jack/outrigger.  |
| 417  |          | 1   | **ENG Reel Motor Location #2 = Right Rear.   |
| 418  | 88432000 | 2   | AKRON FOUR-WAY RECEPTACLE BOX, WIRED TO REEL CABLE (2)   |
| 419  |          | 1   | **REV-A**  **ENG (4) Main NEMA Numbers Receptacles= Plug configuration shall be as follows: (2) L520R (2)  520R with GFI. These shall be pigtailed to the reels for ease of serviced.  |
| 420  |          | 1   | **ENG Receptacle Box, Hardwired, Pig Tail Or Recessed Plug = L5-15 Twist-Lock Pig Tail.  |
| 421  | 88390800 | 1   | **REV-D** LIGHT, FR SPECTRA, LED, SURFACE MNT, 15K LUMENS, 240V, FACE OF PLATFORM (1)  |
| 422  |          | 1   | **CLAR NOTES, Black housing.   |
| 423  |          | 1   | **ENG Switched in platform.  |
| 424  | 88390830 | 1   | **REV-D** LIGHT, FR SPECTRA, LED, FIXED, 20K LUMENS, 240V (1)  |
| 425  |          | 1   | **CLAR NOTES, Black Housing.   |
| 426  |          | 1   | **CLAR NOTES, -Located above R2 compartment on stanchion post. (See Drawing) -Switched in Cab, Overhead Console Position 1 and Overhead Console Position 7, "Left Scene".  |
| 427  | 88390802 | 1   | **REV-D** LIGHT, FR SPECTRA, LED, SURFACE MNT, 15K LUMENS, 240V (1)  |
| 428  |          | 1   | **CLAR NOTES, Black Housing.   |
| 429  |          | 1   | **REV-E**  **CLAR NOTES, -Located Driver's side above body, mounted in treadplate box. (See Drawing) -Switched in Cab, Overhead Console Position 1 and Overhead Console Position 7, "Left Scene".  |
| 430  | 88390841 | 2   | LIGHT, FR SPECTRA, LED, TELE, 20K LUMENS, 240V, TURNTABLE (2)  |
| 431  |          | 1   | **CLAR NOTES, Black housing.   |
| 432  |          | 1   | **ENG Switched at Pedestal and on light heads.   |
| 433  | 88390843 | 1   | LIGHT, FR SPECTRA, LED, TELE, 20K LUMENS, 240V, SPH PLATFORM (1)   |

| Line | Item #   | Qty | Item Description/Comments  |
|------|----------|-----|--|
| 434  |          | 1   | **CLAR NOTES, Black housing.   |
| 435  |          | 1   | **ENG Switched on light heads. Switched in Platform controls.  |
| 436  | 88388888 | 1   | SPECIAL ITEM, 3 WAY SWITCHING FOR OFFICER  |
| 437  | 88388888 | 2   | SPECIAL ITEM, FRC 120V PORTABLE SCENE LIGHT, SPECTRA   |
| 438  |          | 1   | **CLAR NOTES, PORTABLE SCENE LIGHTS Two (2) Fire Research Spectra 120V portable, 15,000 lumens scene lights, with 6' lead cords and 5-20 plugs shall be provided with pin mounts and mounted in the L5 compartment on the shelf. |
| 439  |          | 1   | **CLAR NOTES, Black housing.   |
| 440  | 10040610 | 1   | MODEL, SPH100  |
| 441  | 94020236 | 1   | AERIAL TOWER ASSEMBLY, SPH100  |
| 442  |          |     | **REV-A**  **ENG Hour meter is connected to cradle instead of PTO.   |
| 443  | 94088888 | 1   | **REV-B** FIXED TREADPLATE STEPS WITH FIXED BOTTOM STEP  |
| 444  | 94088888 | 1   | **REV-B** TURNTABLE ACCESS, UPPER LEFT, STANDARD SPH ACCESS LADDER   |
| 445  | 94020250 | 1   | INTERLOCK SYSTEM   |
| 446  | 94020260 | 1   | ROTATION & SMART BOOM WARNING SYSTEM   |
| 447  | 94020272 | 1   | HYDRAULIC SYSTEM - SPH100  |
| 448  | 94020900 | 1   | 12 VOLT AUXILIARY HYDRAULIC POWER  |
| 449  | 94020283 | 1   | PEDESTAL CONTROLS - SPH 100  |
| 450  | 94021212 | 1   | BOOM ASSEMBLY - SPH100   |
| 451  | 94020460 | 1   | AERIAL SPOT LIGHTS - (2) RIGID D2 SPOT, LED (SP95,100,110,SPH)   |
| 452  | 94021326 | 1   | LADDER SPH 100 HIGH RAIL CABLE TRACK   |
| 453  | 94021337 | 1   | HYDRAULIC CYLINDERS - SPH 100  |
| 454  | 94021344 | 1   | AERIAL TOWER WATERWAY - 110 & SPH 100  |
| 455  | 94021027 | 1   | **REV-B** OUTRIGGER GROUND JACKS, MANUAL CONTROL, W/FRONT JACKS SPH100   |
| 456  | 94088888 | 1   | SPECIAL ITEM, RIGID LED SPOTLIGHTS FOR LADDER JACKS  |
| 457  | 93910012 | 1   | JACK PADS, BLACK - SPH100  |

| Line | Item #   | Qty | Item Description/Comments   |
|------|----------|-----|---|
| 458  | 94021340 | 1   | OPERATIONAL TEST - AERIAL PLATFORMS   |
| 459  | 94040051 | 1   | LADDER TEST, MISTRAS GROUP, INC   |
| 460  | 94210016 | 1   | 4-DOOR PLATFORM, SPH  |
| 461  | 94210014 | 1   | PLATFORM ACCESS LADDER  |
| 462  | 94210315 | 1   | PLATFORM BOOM CONTROLS W/STATUS DISPLAY SPH   |
| 463  | 94210288 | 1   | SPECIAL PLATFORM LIGHTS RIGID DUALLY D2   |
| 464  |          | 1   | **REV-A**  **ENG Switched in Aerial Platform.   |
| 465  | 94210350 | 1   | 120 VOLT OUTLET IN PLATFORM   |
| 466  |          | 1   | **ENG Nema Number = 5-20 house plug.  |
| 467  | 94210802 | 1   | 75 GPM WATER CURTAIN FOR SPH 100 or SPI112  |
| 468  | 94210705 | 1   | YOKE OUTLETS - SPH100   |
| 469  | 94210515 | 1   | MONITOR, DS, AKRON 3473, GEMINI MANUAL 1000 GPM                                       |
| 470  | 94210674 | 1   | NOZZLE, DS, AKRON 2499 & 3488 PIPE  |
| 471  | 94210516 | 1   | MONITOR, OS, AKRON 3473, GEMINI MANUAL 1000 GPM                                       |
| 472  | 94210675 | 1   | NOZZLE, OS, AKRON 2499 & 3488 PIPE  |
| 473  | 94210999 | 1   | INTERCOM SYSTEM, FRC ACT 3-STATION  |
| 474  | 94211160 | 1   | DELETE BREATHING AIR SYSTEM   |
| 475  | 94210017 | 1   | PARAPET LADDER, SPH100  |
| 476  | 94280150 | 1   | STOKES ARMS, SPH100 PLATFORM  |
| 477  | 94288888 | 1   | SPECIAL ITEM, BOX ON TURNTABLE IN PLACE OF AIR BOTTLE                                 |
| 478  |          | 1   | **ENG ATC # TBD by Curtis.  |
| 479  | 94295001 | 1   | SINGLE LIFTING EYE, 800 LB.   |
| 480  | 89910000 | 1   | CORROSION REDUCTION PROGRAM   |
| 481  | 90088888 | 1   | **REV-A** SPECIAL ITEM, FULL PAINT ON AERIAL STAINLESS BODY EXCEPT ON BOLT ON FENDERS |

| Line | Item #   | Qty | Item Description/Comments   |
|------|----------|-----|---|
| 482  | 90030006 | 1   | TWO TONE CAB WITH SPECIAL PAINT BREAK LINE (PAINT BREAK OPTION #5)                                |
| 483  |          | 1   | **ENG List Special Paint Details = -Paint Break Option #5Black over Red99X BLACK ALT 2 N5539X RED |
| 484  | 90030160 | 1   | PAINT FRAME RAILS & BODY SUBFRAME – RED   |
| 485  | 90030032 | 1   | PAINT, TURNTABLE, SIDE PLATES & LIFT CYLINDER OTHER THAN SILVER                                   |
| 486  |          | 1   | **ENG Note Paint Color Other Than Silver = Black.   |
| 487  | 90030033 | 1   | PAINT, LADDER SHEAVES, EXT CYLINDER & YOKE SILVER   |
| 488  | 90030015 | 1   | A/C CONDENSER PAINTED ROOF COLOR  |
| 489  | 90510000 | 1   | 3" LETTERING, 22K (UP TO 40)  |
| 490  | 90530355 | 1   | MALTESE CROSS LAMINATED 22KT GOLD (PAIR)  |
| 491  | 90610410 | 1   | 10" SCOTCHLITE STRIPE AROUND TRUCK (TANDEM)   |
| 492  | 90630405 | 1   | MITER EDGED "Z" STRIPE  |
| 493  | 90630110 | 2   | 1" SCOTCHLITE STRIPE ABOVE OR BELOW - EACH (TANDEM) (2)   |
| 494  | 90681120 | 1   | CHEVRON STRIPING, REAR BODY OUTBOARD, REFLEXITE (AERIAL PLATFORMS)                                |
| 495  |          | 1   | **ENG Chevron Striping, Rear Body Color = #030 Red Transparent & #018 Yellow.                     |
| 496  | 90681420 | 1   | CHEVRON STRIPING, REAR PLATFORM OUTBOARD, REFLEXITE   |
| 497  |          | 1   | **ENG Chevron Striping, Rear of Platform Color = #030 Red Transparent & #018 Yellow.              |
| 498  | 90788888 | 1   | SPECIAL ITEM, BOOM SIGN, APPROX 88" X 26"   |
| 499  |          | 1   | **ENG State Boom Sign Paint Color = Black.  |
| 500  | 90720120 | 1   | 10" LETTERING FOR BOOM SIGN   |
| 501  |          | 1   | **ENG List Special Lettering/Striping Details = TBD.  |
| 502  | 90688888 | 1   | SPECIAL ITEM, GOLD LEAF 1/2" STRIPE AT PAINT BREAK ON CAB   |
| 503  | 91010000 | 1   | MISC EQUIP - (1) PINT TOUCH-UP PAINT, STAINLESS STEEL NUTS & BOLTS                                |
| 504  | 91030700 | 1   | ZIAMATIC SAC-44 FOLDING WHEEL CHOCKS MTD W/ SQCH-44H HOLDERS (PAIR)                               |
| 505  |          | 1   | **ENG Mounting Locations = Recessed in platform access steps at Driver's side rear of body.       |

| Line | Item #    | Qty | Item Description/Comments                        |
|------|-----------|-----|--|
| 506  | 89050100  | 1   | PIKE POLE STORAGE TUBES, (3) EA SIDE             |
| 507  | 99010000  | 1   | MANUALS (1-PRINTED & 1-CD) WITH DVD              |
| 508  | 99030100  | 1   | ADDITIONAL MANUFACTURER'S MANUAL (1)             |
| 509  | PDB000197 | 1   | DEALER SUPPLIED - 16" GAS PPV                    |
| 510  | PDB000198 | 1   | DEALER SUPPLIED - ALUMINUM 16" SMOKE EJECTOR     |
| 511  | PDB000199 | 1   | DEALER SUPPLIED - 20" SUPERVAC VENT CHAIN SAW    |
| 512  | PDB000248 | 1   | DEALER SUPPLIED - DEALER PROVIDED SERVICE        |
| 513  | PDB000192 | 1   | DEALER SUPPLIED - EQUIPMENT CONTINGINCY          |
| 514  | PDB000184 | 1   | DEALER SUPPLIED - MOUNT CUSTOMER'S TOOLS         |
| 515  | PDB000204 | 1   | DEALER SUPPLIED - TFT BLITZFIRE XXC 52           |
| 516  | PDB000203 | 1   | DEALER SUPPLIED - THERMAL IMAGING CAMERA         |
| 517  | PDB000309 | 1   | DEALER SUPPLIED - DEALER PREP                    |
| 518  | PDB000218 | 1   | DEALER SUPPLIED - GENESIS HYDRAULIC RESCUE TOOLS |